	r ID 63036 r 18, 2010 1:01:08 PM	Л										Page 1
Revision ID:	D3575-2	_	WB 10ct 63039	Accept					Setup	Start		
		ty: 4.00 Qty: 4.00			Cust Item l Customer:	ID:				Stop		
	Process Plan: QC:	K	Date: 010-10	Tooling: _ SPC (Y/N):		ate:		1	Run	Start Stop		
Sequence ID/ Work Center ID	Operati Descrip			Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Rej Qty		Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr	•		- A Harton								
D3575	Rev A								_			
100 	FLOW W	ATER JET		0.00				TB i	ن - ان	<u> </u>	>	
FLOW CNC Waterjet	t	Memo 1-Cut as per Deburr if ne	Dwg D3575 □Dwg Rev cessary	1	₫ □2-							Θ
	QC2- Insp	ect parts off m	achine FAI/FAIB	0.00								
QC Quality Control		Memo		0.00				<u>us</u>	(0-1	<u>6-01</u>	<u> </u>	
	QC8- lnsp	ect parts - seco	and check	0.00		ا در کے	W 200	76				10:1021
QC Quality Control		Memo		0.00		W.	7					711911-17

	•							
W/O:			W	ORK ORDER CHANG	ES	,		
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
						į		
Part No) :	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA :	Date: _	
	Re	esolution:	Dispositio	n:	QA: N/C Cld	sed:	Date: _	
NCR:			WORK ORD	ER NON-CONFORM	ANCE (NCR)		
DATE	STEP	Description of NC			tion B	Verification		Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
							Ę	
	i	I and the second	į l		ı	i	i	I .

Work Order ID 63036

Monday, October 18, 2010 1:01:08 PM



Page 2

Item ID:

Revision ID:

Item Name:

D3575-2

Accept

Setup Start

Stop

Start Date:

10/18/2010

Cabin Floor Protector

Start Qty: 4.00

Required Date: 10/26/2010

Req'd Qty: 4.00



Date:____

Cust Item ID:

Customer:

Reference:

Approvals:

QC:

Process Plan:

Date:

Tooling:

SPC (Y/N):

Date:

Date:

Run Start

Stop

Sequence ID/ **Work Center ID**

130

Small Fab

Small Fab

Operation Description

Small Fab

Memo

Set Up/ **Run Hours**

0.00

0.00

Deburr if necessary.

Tool ID

Tool # Plan Code

Accept Qty

Reject Qty

Insp. Reject Number

Stamp

140

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

0.00

SB 10/10/22

150

Packaging

Packaging

Identify as per dwg & Stock Location:

Memo

Memo

0.00

0.00

-									
W/O:			WO	RK ORDER CHANGE	S				
DATE	STEP	PRO	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				·					
									'
Part No	:	PAR #:	Fault Categ	ory:	NCR: Yes	No DQA :	i	_ Date: _	<u></u>
	Re	esolution:	Disposition	:	QA: N/C CI	osed:		Date: _	
NCR:		1	WORK ORDE	R NON-CONFORMA	NCE (NCR)			
DATE	STEP	Description of NC		Corrective Action Section	on B Sign &	Verifica		Approval	Approval
DAIL	J.L.	Section A	Initial Chief Eng	Action Description Chief Eng	Date	Section	n C	Chief Eng	QC Inspector
			}						
								-	
							-		
	. :							į:	
ı	1	1	1 1			1		1	1

Work Order ID 63036

Monday, October 18, 2010 1:01:08 PM



Page 3

Item ID:

D3575-2

Accept



Setup Start



Revision ID:

Item Name:

Cabin Floor Protector

Start Date:

Required Date: 10/26/2010

10/18/2010

Start Qty: 4.00

Req'd Qty: 4.00



Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

QC:_

Date:

Date:

Tooling:

SPC (Y/N):

Date:

Date:

Run

Start

Stop

Stop

Sequence ID/ **Work Center ID**

Operation Description

QC21- Final Inspection - Work Order Release

Set Up/ **Run Hours**

0.00

Tool ID

Tool # Plan Code

Accept Qty

Reject Qty

Reject Insp.

160

QC Quality Control

Memo

0.00

Number Stamp

MF (0-10-22

				.,					
W/O:			WO	RK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CHAN	GE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				AN - 21 - 2 - 1 - 2 - 2 - 2 - 2 - 2 - 2 -					
				W					
Part No):	PAR #:	Fault Categ	ory:	_ NCR: Yes	No DQ	A :	Date: _	
	R	esolution:						Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	ANCE (NC	R)		•	
DATE	STEP	Description of NC	<u> </u>		ion B		cation	Approval	Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Dat	e Sec	tion C	Chief Eng	QC Inspector
						}			
		·							

Picklist Print

Monday, October 18, 2010 1:01:13 PM

Work Order ID: 63036

D3575-2

Parent Item:

Comments:

Parent Item Name: Cabin Floor Protector

IPP Rev : A New Issue 07-01-22 EC



Start Date: 10/18/2010

Required Date: 10/26/2010

Page 1

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MLEXS.125-F60029-04		Purchased	No			100	sf	1,865.803	10.666	44.90947	7		
											1B10-1	نهر م <u>ن</u>	•

GE PLASTICS LEXAN SHEET

Location Loc Qty Loc Code MAT 1865.8038 115261 1865.8038

	. Johado								•
W/O:			WO	ORK ORDER CHANG	ES				
DATE	STEP	PRO	CEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									·
Part No);	PAR #:	Fault Cate	gory:	_ NCR: Yes	No DQ	A:	Date:	
	Re	esolution:	Dispositio	n:	QA: N/C CI	osed:		Date: _	
NCR:		\	WORK ORD	ER NON-CONFORM	ANCE (NCF	R)	•		
DATE	STEP	Description of NC			tion B	Verifi	cation	Approvai	Approval
DAIL	SIEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Sect	ion C	Chief Eng	QC Inspector
						ļ			
				·					
	1							1	

DART AEROSPACE LTD	Work Order:	(303C
Description: Cabin Floor Protector	Part Number:	D3575-X2
Inspection Dwg: D3575 Rev: A		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X	First Article		Prototype
---	---------------	--	-----------


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø3.00	+0.006/-0.001	3,003	يح		V B02	
1.00	+/-0.030	1,00	≥		T 1801	
3.50	+/-0.030	3,50	Q		7	
16.00	+/-0.030	16.00	A.		7	
23.13	+/-0.030	23,13	せ		7	
26.88	+/-0.030	26.88	>		7	
27.69	+/-0.030	27.69	کے		7	
4.25	+/-0.030	4.75	—		7	
9.63	+/-0.030	9.63	~		T	
16.13	+/-0.030	16.13	يع		7	
28.06	+/-0.030	28.06	*		7	
32.15	+/-0.030	37.15	*		7	
2.00	+/-0.030	۵،∞	عد		7	
3.50	+/-0.030	3.50	8		7	
14.25	+/-0.030	14.25	9		+	
25.13	+/-0.030	35.13	٨		Т	
29:38	+/-0.030	29,38	<u>پ</u>		7	
30.13	+/-0.030	30.13	Ø		ή	
1.25	+/-0.030	1.75	ek.		7	
3.38	+/-0.030	3.38	*		τ	
5.00	+/-0.030	5.00	4		7	
6.50	+/-0.030		4		-	
26.13	+/-0.030	26.13	rx		7	
31.50	+/-0.030	31.50	04		T	


	1	21.50			
Measured by:	B	Audited by:		Prototype Approval:	N/A
Date:	10-10-20	Date:	10:10:21	Date:	N/A

Rev	Date	Change	Revised by,	Approved
Α	08.02.29	New Issue	KJ/DD XX	77

W/O:			WO	RK ORDER CHANGE	S			, in
DATE	STEP	PRO	ROCEDURE CHANGE			Date Q	ty Approval Chief Eng / Prod Mgr	Approval QC Inspector
			,					
		•						
Part No	:	PAR #:	Fault Cate	jory:	NCR: Yes	No DQA:_	Date:	
	R	esolution:	Disposition	ı:	QA: N/C Clo	sed:	Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCR)		
DATE	STEP	Description of NC		Corrective Action Section		Verificati		Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
		,						
							,	
		1					1	







D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966


Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WO	RK ORDER CHANGE	ES				
DATE STEP		PRO	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #:	Fault Categ	ry: NCR: Yes No DQA: Date: QA: N/C Closed: Date: R NON-CONFORMANCE (NCR)					
Resolution:		esolution:	Disposition	_ QA: N/C Closed: Date:					
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCR)			
		Description of NC		Corrective Action Section		_ Verific	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng						
						ļ !			
	1		1		ı	1		1	1







D3575-3 CABIN FLOOR PROTECTOR

NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967


Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WORK ORDER CHANGES									
DATE	STEP	PRO	CEDURE CHA	CEDURE CHANGE		Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
				4.1.50			1 Tod Wigi					
Part No		PAR #:	Fault Cate	gory:	NCR: Yes I	No DQA :	Date: _					
		esolution:	Dispositio	n:	QA: N/C Closed: Date:							
NCR:			WORK ORD	ER NON-CONFORM	ANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action Section			Verification	Approval	Approval				
DAIL	SILF		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector				
-												
		,										







D3575-4 CABIN FLOOR PROTECTOR

NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			W	ORK ORDER CHANGE	S				
DATE	DATE STEP PRO		CEDURE CH	EDURE CHANGE		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									
								:	
Part No:		PAR #:	Fault Cat	tegory:	NCR: Yes	No DQ	A :	Date:	
Resolution:		esolution:	Disposition: QA: N/C Closed:						
NCR:		V	ORK ORI	DER NON-CONFORMA	NCE (NC	R)			
DATE	STEP	Description of NC	Corrective Action Section				fication	Approval	Approval
DAIL		Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date		tion C	Chief Eng	QC Inspector







D3575-5 CABIN FLOOR PROTECTOR (SHOWN) D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WORK ORDER CHANGES										
DATE	STEP	PRO	OCEDURE CHAI	NGE	E	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
<u> </u>				•	· · · · · · · · · · · · · · · · · · ·				1 Tod Mgi				
									in				
Part No:		PAR #:	Fault Cate	gory:	NCR:	Yes N	lo DQ	A:	Date:				
	·R	esolution:	Dispositio	n:	QA: N	/C Clo	sed:						
NCR:			WORK ORDI	ER NON-CONFORM	IANCE (NCR))						
DATE	STEP	Description of NC	Corrective Action Section B				Verif	Verification	Approval	Approval			
DATE		Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date		Section C	Chief Eng	QC Inspector			
				- A									
	·												

H:\fFORMS\Quality Assurance\approved QA\NCRWO RevE